

## Problem Set 2

ECON 772001 - Math for Economists  
Boston College, Department of Economics

Peter Ireland  
Fall 2020

Due Tuesday, September 22

### 1. Utility Maximization - Second-Order Conditions

The following result specializes Theorem 19.8 from Simon and Blume's book to provide first and second-order conditions for a constrained optimization problem with two choice variables and a single constraint that is assumed to bind at the optimum.

**Theorem** Let  $F : \mathbf{R}^2 \rightarrow \mathbf{R}$  and  $G : \mathbf{R}^2 \rightarrow \mathbf{R}$  be twice continuously differentiable functions, and consider the constrained optimization problem

$$\max_{x_1, x_2} F(x_1, x_2) \text{ subject to } c \geq G(x_1, x_2),$$

with parameter  $c \in \mathbf{R}$ . Associated with this problem, define the Lagrangian

$$L(x_1, x_2, \lambda) = F(x_1, x_2) + \lambda[c - G(x_1, x_2)].$$

Suppose there exist values  $x_1^*$ ,  $x_2^*$ , and  $\lambda^*$  of  $x_1$ ,  $x_2$ , and  $\lambda$  that satisfy the first-order conditions

$$L_1(x_1^*, x_2^*, \lambda^*) = F_1(x_1^*, x_2^*) - \lambda^* G_1(x_1^*, x_2^*) = 0,$$

$$L_2(x_1^*, x_2^*, \lambda^*) = F_2(x_1^*, x_2^*) - \lambda^* G_2(x_1^*, x_2^*) = 0,$$

$$L_3(x_1^*, x_2^*, \lambda^*) = c - G(x_1^*, x_2^*) \geq 0,$$

$$\lambda^* \geq 0,$$

and

$$\lambda^*[c - G(x_1^*, x_2^*)] = 0.$$

Suppose also that  $c - G(x_1^*, x_2^*) > 0$ , so that the constraint binds at the optimum, and that the "bordered Hessian" matrix

$$H = \begin{bmatrix} 0 & G_1(x_1^*, x_2^*) & G_2(x_1^*, x_2^*) \\ G_1(x_1^*, x_2^*) & L_{11}(x_1^*, x_2^*, \lambda^*) & L_{21}(x_1^*, x_2^*, \lambda^*) \\ G_2(x_1^*, x_2^*) & L_{12}(x_1^*, x_2^*, \lambda^*) & L_{22}(x_1^*, x_2^*, \lambda^*) \end{bmatrix}$$

satisfies the second-order condition that  $|H| > 0$ , so that the determinant of  $H$  is strictly positive. Then  $x_1^*$  and  $x_2^*$  are local maximizers of  $F(x_1, x_2)$  subject to  $c \geq G(x_1, x_2)$ .

Note that this result provides sufficient conditions for a solution to the problem: it says that if the first and second-order conditions are satisfied, then the values of  $x_1^*$  and  $x_2^*$  constitute at least a local maximum.

With this result in mind, return to the problem solved by a consumer who uses his or her income  $I$  to purchase  $c_1$  units of good 1 at the price of  $p_1$  per unit and  $c_2$  units of good 2 at the price of  $p_2$  per unit to maximize utility

$$U(c_1, c_2) = a \ln(c_1) + (1 - a) \ln(c_2),$$

with  $0 < a < 1$ , subject to the budget constraint

$$I \geq p_1 c_1 + p_2 c_2.$$

- a. As before, set up the Lagrangian for the consumer's problem, letting  $\lambda$  denote the multiplier on the constraint.
- b. And again as before, find values  $c_1^*$ ,  $c_2^*$ , and  $\lambda^*$  that satisfy the first-order conditions given by the theorem from above.
- c. Now form the bordered Hessian matrix  $H$  following the general pattern shown in the theorem, and verify that  $c_1^*$ ,  $c_2^*$ , and  $\lambda^*$  satisfy the second-order condition  $|H| > 0$  as well.

## 2. Complementary Slackness

Consider the constrained optimization problem

$$\max_x -x^2 \text{ subject to } x \geq 0,$$

where  $x \in \mathbf{R}$  is a single choice variable (note that there is a minus sign out in front of the objective function).

- a. Can you guess the solution  $x^*$  to this problem without working through the mathematical details?
- b. To see how the Kuhn-Tucker theorem can lead you to this solution, set up the Lagrangian for the problem, letting  $\lambda$  denote the multiplier on the constraint.
- c. Next, write down the conditions that, according to the Kuhn-Tucker theorem, must be satisfied by the value  $x^*$  of  $x$  that solves the problem together with the associated value  $\lambda^*$  of  $\lambda$ .
- d. Use your results from above to solve find  $x^*$  and  $\lambda^*$ .

### 3. The Constraint Qualification

A consumer chooses consumption  $c$  of a single good in order to maximize the utility function  $U(c)$  subject to the budget constraint  $I \geq pc$ , where  $I > 0$  is the consumer's income and  $p > 0$  is the price of the good. Suppose that the utility function is strictly increasing, so that  $U'(c) > 0$  for all values of  $c$ .

- Can you guess the solution  $c^*$  to this problem without working through the mathematical details?
- To see how the Kuhn-Tucker theorem leads you to this same solution, define the Lagrangian as

$$L(c, \lambda) = U(c) + \lambda(I - pc),$$

and use the Kuhn-Tucker conditions to find  $c^*$  and the associated value  $\lambda^*$ .

- Now, suppose that for some reason, you decide to rewrite the consumer's budget constraint as

$$(I - pc)^3 \geq 0$$

and to define the Lagrangian as

$$L(c, \lambda) = U(c) + \lambda(I - pc)^3,$$

since given the parameters  $I$  and  $p$ , expressing the constraint in this alternative way does not change the economics of the problem: the same set of values for  $c$  that satisfy the constraint in its simpler linear form still satisfy this more complicated version and vice-versa. Write down the Kuhn-Tucker conditions that follow from this alternative definition of the Lagrangian. Are these conditions satisfied by the same values of  $c^*$  and  $\lambda^*$  that you found before? Why or why not?

### 4. Perfect Substitutes

Suppose a consumer likes two goods, good 1 and good 2, which he or she views as perfect substitutes: perhaps they are just different brands of the same basic product. A utility function that captures this idea takes the linear form

$$U(c_1, c_2) = c_1 + c_2.$$

Let  $I$  denote the consumer's income and let  $p_1$  and  $p_2$  denote the prices of the two goods. In this case, the linearity of the utility function means that nonnegativity conditions for  $c_1$  and  $c_2$  need to be imposed for the problem to make economic sense. Accordingly, associated with the consumer's problem

$$\max_{c_1, c_2} c_1 + c_2 \text{ subject to } I \geq p_1 c_1 + p_2 c_2, \quad c_1 \geq 0, \text{ and } c_2 \geq 0,$$

define the Lagrangian

$$L(c_1, c_2, \lambda, \mu_1, \mu_2) = c_1 + c_2 + \lambda(I - p_1 c_1 - p_2 c_2) + \mu_1 c_1 + \mu_2 c_2.$$

- a. Can you guess how the optimal choices  $c_1^*$  and  $c_2^*$  will depend on the parameters  $I$ ,  $p_1$ , and  $p_2$  even without working through the mathematical details? (*Hint*: Suppose you have \$10 to spend on Coke and Pepsi, and view those two brands as perfect substitutes. One brand is on sale, the other sells at full price. Which do you buy?)
- b. To see how the Kuhn-Tucker theorem can lead you to the same solution, write down the conditions that, according to the theorem, must be satisfied by the values of  $c_1^*$  and  $c_2^*$  that solve the problem together with the associated values of  $\lambda^*$ ,  $\mu_1^*$ , and  $\mu_2^*$ .
- c. Use your results from above to derive solutions for  $c_1^*$ ,  $c_2^*$ ,  $\lambda^*$ ,  $\mu_1^*$ , and  $\mu_2^*$  in terms of  $I$ ,  $p_1$ , and  $p_2$ .

## 5. Elasticities of Demand

Consider a consumer who purchases three goods to maximize utility subject to a budget constraint. Assuming that the utility function is such that nonnegativity constraints on the choice variables can be ignored, and extending the notation used above in the obvious way, the consumer's problem can be written as

$$\max_{c_1, c_2, c_3} U(c_1, c_2, c_3) \text{ subject to } I \geq p_1 c_1 + p_2 c_2 + p_3 c_3.$$

Suppose that the utility function is also such that it is possible to find functions  $c_1^*(p_1, p_2, p_3, I)$ ,  $c_2^*(p_1, p_2, p_3, I)$ , and  $c_3^*(p_1, p_2, p_3, I)$  that uniquely determine the optimal choices in terms of the parameters measuring prices and income (note that here, the subscripts refer to the three goods and not to the derivatives of the functions). Under most circumstances, these functions, which correspond to "Marshallian demand curves" for each of the three goods, can be expected to satisfy two basic conditions. First, under the assumption that the budget constraint binds at the optimum, it must be that

$$p_1 c_1^*(p_1, p_2, p_3, I) + p_2 c_2^*(p_1, p_2, p_3, I) + p_3 c_3^*(p_1, p_2, p_3, I) = I \quad (1)$$

for all values of  $p_1$ ,  $p_2$ ,  $p_3$ , and  $I$ . Second, because increasing or decreasing all three prices and the consumer's income by the same proportions has no effect on the consumer's optimal choices, it must be that

$$c_i^*(r p_1, r p_2, r p_3, r I) = c_i^*(p_1, p_2, p_3, I) \quad (2)$$

for any value of  $r > 0$  for each  $i = 1, 2, 3$ ; that is, the Marshallian demands are "homogeneous of degree zero."

Now, for each  $i = 1, 2, 3$  and  $j = 1, 2, 3$ , let

$$\varepsilon_{i,j} = \frac{p_j}{c_i^*(p_1, p_2, p_3, I)} \frac{\partial c_i^*(p_1, p_2, p_3, I)}{\partial p_j}$$

denote the elasticity of demand for good  $i$  with respect to the price of good  $j$ , and for each  $i = 1, 2, 3$ , let

$$\eta_i = \frac{I}{c_i^*(p_1, p_2, p_3, I)} \frac{\partial c_i^*(p_1, p_2, p_3, I)}{\partial I}$$

denote the income elasticity of demand for good  $i$ . Finally, for each  $i = 1, 2, 3$ , let

$$s_i = \frac{p_i C_i^*(p_1, p_2, p_3, I)}{I}$$

denote the share of his or her total income that the consumer spends on good  $i$ .

- a. Use (1) to show that for each  $j = 1, 2, 3$ , the “share-weighted” price elasticities of demand must be related via

$$s_1 \varepsilon_{1,j} + s_2 \varepsilon_{2,j} + s_3 \varepsilon_{3,j} = -s_j.$$

- b. Use (1) to show that the “share-weighted” income elasticities of demand must be related via

$$s_1 \eta_1 + s_2 \eta_2 + s_3 \eta_3 = 1.$$

- c. Finally, use (2) to show that for each  $i = 1, 2, 3$ , the price and income elasticities of demand must be related via

$$\varepsilon_{i,1} + \varepsilon_{i,2} + \varepsilon_{i,3} + \eta_i = 0.$$